

Technical cross-section drawing of a road profile with two sidewalks. The drawing shows a road with a 4.2% slope, a central gutter, and two sidewalks. The left sidewalk is 1.50m wide and has a height of 326.11m. The right sidewalk is 1.50m wide and has a height of 326.96m. The road surface is 17.4m wide. The drawing includes labels for 'S1', 'S5', and 'STABILIZOVANÁ ÚPROVEŇ PLÁŇ'. The materials specified are 'ŽULOVÁ DLAŽBA ŠTÍPANÁ 9/11', 'BETONOVÉ LOŽE C20/25 XF3, tl.0,2m', and 'ŠTERKODRŤ fr. 0-63mm, tl.0,2m'.

Technical drawing of a road cross-section showing two concrete curbs. The drawing includes dimensions, elevations, and material specifications.

**Dimensions and Elevations:**

- Left curb: 1.50m width, 0.10m height, elevation 332.62.
- Right curb: 1.50m width, 0.10m height, elevation 333.80.
- Distance between curbs: 15.8m.
- Elevation at the top of the right curb: 333.82.
- Elevation at the top of the left curb: 332.78.
- Grade: 6.3%.
- Stationing: S1, S5.

**Material Specifications:**

- ŽULOVÁ DLAŽBA ŠTÍPANÁ 9/11
- BETONOVÉ LOŽE C20/25 XF3, tl.0,2m
- ŠTERKODRŮ fr. 0-63mm, tl.0,2m

**Other Labels:**

- STABILIZOVANÁ ÚPROVEŇ PLÁŇ

S5		D1-D-1-IV-PIII, DLE TP170			
	ŽULOVÁ DLAŽBA ŠTÍPANÁ 9/11	DL	100mm	-ČSN 73 6131-1	
	LOŽE	L	40mm	-ČSN 73 6131-1	
Edef2≧60MPa	KAMENIVO ZPEVNĚNÉ CEMENTEM	KSC I	210mm	-ČSN 73 6124-1	
Edef2≧45MPa	ŠTĚRKODRŤ	ŠD	200mm	-ČSN 73 6126-1	
	UPRAVENÁ ZHUTNĚNÁ PLÁŇ				
	CELKEM		550mm		

Místo:	Turnov	Stavební úřad:	Turnov	Stupeň	DPS
Objednatel:	Město Turnov, Ant. Dvořáka 335, 511 22 Turnov			Datum	01.2017
Akce:	<b>INŽENÝRSKÉ SÍTĚ V ROZVOJOVÉ LOKALITĚ HRUŠTICE - KÁROVSKO, ČÁST C</b> <b>IO-101.8 KOMUNIKACE (ul. VLADIMÍRA KRAJINY)</b> <b>IO-101.11 KOMUNIKACE (ul. NAD FARÁŘSTVÍM)</b> <b>IO-102.3 KOMUNIKACE (ul. gen. VÁCL. MORÁVKA)</b>			Číslo zakázky	17006
Příloha:				Měřítko	
				Příloha č.	
<b>ŘEZY A-A, B-B</b>				<b>1:50</b>	
				<b>B.1.09</b>	